fuel

2300 mA lithium polymer battery for the **iPhone 3G**

instructions



case-mate®

components diagram



a) power on/off button
b) blue LED indicator
c) blue LED indicator
d) blue LED indicator
e) microphone opening
f) speaker opening
g) 30-pin iPhone connector
h) camera hole cutout
i) 180-degree ratcheting belt clip
j) usb connector

features

- **talk time:** up to 9 additional hours beyond standard iPhone battery life
- **internet use:** up to 7 additional hours beyond standard iPhone battery life
- **video playback**: up to 8 additional hours beyond standard iPhone battery life
- **audio playback:** up to 24 additional hours beyond standard iPhone battery life
- **standby time:** up to 250 additional hours beyond standard iPhone battery life
- power on/off button (a) makes more efficient usage of the fuel by only engaging when you decide to
- rechargeable through a mini usb cable (included)
- fully supports syncing while iPhone 3G is docked in the fuel
- fully ratcheting 180-degree belt clip (i)
- easy slide in/out access to your iPhone 3G

specifications

the casemate fuel comes with a built-in, safety tested, advanced lithium polymer high capacity rechargeable battery that increases your iPhone's standard battery life by 2.5 times the normal amount.

- **battery capacity:** up to 2300mA
- **battery charging current:** up to 450mA
- **battery max discharging current:** 2A
- **power consumption:** 5v/2.5w
- **battery operational temperature range:** 5˚F to 122˚F or -15˚C to 50˚C

led indicators

normal use:

- **3 solid blue lights (b):** 100% charged
- **2 solid blue lights (c):** 50% power remains
- **1 solid blue light (c):** 20% power remains
- **1 blinking blue light:** 10% power remains

while charging:

- **3 solid blue lights (b):** charge complete
- **2 solid blue lights (c):** 50% charge complete
- **1 solid blue lights (c):** charging